


MEDICAL MARIJUANA ESTABLISHMENTS ENVIRONMENTAL REQUIREMENTS





NRS 453A, NAC 453A, and City Ordinance 6324 and Municipal Code 6.95

- Medical marijuana establishments can potentially have environmental impacts to a community and its resources.
- Nevada law and City code and ordinance allow the City to enact regulations to protect and promote the public health, safety and general welfare and regulate the use of buildings, structures, land use and business and other purposes.
- External Environmental Regulatory Agencies



ENVIRONMENTAL PLAN


CODE 6.95.060 G.4.

- Environmental Plan required in application
- Environmental Plan
 - Hazardous Materials Management Plan
 - Hazardous, Solid, and Liquid Waste Management Plan
 - Hazard Communication Plan

HAZARDOUS MATERIALS MANAGEMENT PLAN

- Identify hazardous characteristics of chemicals and products
- Safe and proper storage
- Hazardous materials must be used in accordance with labels and MSDS sheets
- Use proper personal protective equipment
- Update plan annually or more frequently as things change

HAZARDOUS, SOLID, AND LIQUID WASTE MANAGEMENT PLAN

- Quantify and characterize waste streams
 - Prepare a Response Plan for spills and releases
 - Dispose of all waste streams properly
 - Complete and submit a Wastewater profile
 - Develop and implement an Odor Control Plan
 - Update plan annually or more frequently as things change
- 
- A close-up photograph of several green leaves, likely from a plant, positioned at the bottom of the slide. The leaves are vibrant green and have a slightly serrated edge. They are layered, with some in the foreground and others slightly behind, creating a sense of depth. The background of the slide is a dark green gradient, and the leaves are in sharp focus.

PROPER DISPOSAL OF MEDICAL MARIJUANA

- A medical marijuana establishment must dispose of medical marijuana that is not usable marijuana within 10 calendar days of expiration of use.
- Medical marijuana waste must be made unusable prior to leaving a licensed medical marijuana facility.

RENDERING MARIJUANA UNUSABLE

- Grinding and incorporating the marijuana plant waste with non-consumable solid waste or other ground materials so the resulting mixture is at least 50% non-marijuana waste by volume. Other methods to render marijuana waste unusable must be approved by the State regulating authority and the Director before implementing.

SANITARY SEWER REQUIREMENTS

- Wastewater Profiles must be completed by every medical marijuana applicant
- Sewer discharge limitations/prohibitions apply
- Permit/pretreatment may be required for process wastewater discharges
- Regulated under LVMC 14.17 by the City's Environmental Compliance Section

STORMWATER REQUIREMENTS

- No medical marijuana wastewater can be discharged into the gutter or storm drain
 - Stormwater flows directly to Lake Mead without any treatment
- Covered secondary containment required for any outdoor storage area
- Regulated under LVMC 14.18 by the City's Environmental Compliance Section

HAZARD COMMUNICATION PLAN

- Develop and implement an Occupational Safety and Health (OSHA) Hazard Communication Plan
- Keep MSDSs onsite
- Develop and implement an OSHA Hazard Communication training program
- Update plan annually or more frequently as things change



ENFORCEMENT CODE 6.95.220H

- All licenses authorized and issued under the provisions of this Chapter may be subject to immediate suspension by the Director, if the Director finds that: The licensee has failed to maintain the premises in compliance with the requirements of the building official or the fire chief or any environmental or health department.

QUESTIONS

